

CAUTION Keep out of reach of children
Read safety directions before opening

TURF M

NPK LIQUID FERTILIZER 21.5-5.9-6.2

DIRECTIONS:

BOWLING GREENS: Spring Renovation: Mix 1L Cyndan Turf M with 50L of water and apply to 100m square. Feeding at regular intervals of 2-3 weeks will produce the best results

Growth period: Apply a mix of 1L Cyndan Turf M with 100L water. This mix will feed 100m squared. Use at 2-3 week intervals

GENERAL TURF: Use 1L Cyndan Turf M with 100L water. Will feed 100m squared. Use at 2-3 week intervals.

FOLIAGE APPLCIATION. 1L Cyndan Turf M diluted with 200L water and sprayed onto the foliage. Thorough wet the leaf during cool weather. Not recommended for repeated foliar application to annual and perennial horticultural crops.

TREE ROOT FEEDING: 10L of a solution containing 1L of Turf M to 80L water will produce a balanced nutrient feeding. Apply in Autumn and Spring. Punch holes in the ground around the base of the tree to allow good penetration.

Turf M may be used in conjunction with Cyndan's Soil D to increase wetting capabilities.

SAFETY: Avoid contact with eyes.

FIRST AID: If swallowed, do NOT induce vomiting, give a glass of water and seek medical attention. Contact the Poisons Information Centre (13 11 26 Australia; 0800 764 766 New Zealand). If in eyes, hold eyelids open and flush with water for at least 15 minutes.

Batch #:

* Trademark



CYNDAN
chemical solutions



9 343310 010330

Cyndan Chemicals 1/7 Jubilee Avenue Warriewood NSW 2102 AUSTRALIA ph +61 2 9998 5688 www.cyndan.com.au